

ΚΑΤΑΣΚΕΥΕΣ ΜΗΧΑΝΗΜΑΤΩΝ
 ΜΗΧΑΝΗΜΑΤΑ ΚΟΠΗΣ ΠΕΤΡΩΜΑΤΩΝ

600S Αυτόματο



Γενικά Χαρακτηριστικά - 600S Αυτόματο

- Το μηχάνημα 600S είναι μετακινούμενο και μπορεί να μεταφερθεί σε οποιονδήποτε χώρο εργασίας.
- Κόβει κάθετα και φάλτσα σε γωνία 45° - 90°
- Διαθέτει γωνιάστρα για διευκόλυνση και μέγιστη ακρίβεια κοπής. (Κατόπιν παραγγελίας)
- Διαθέτει 2 βοηθητικές μέγκενες για την συγκράτηση των κομματιών κοπής.
- Η κοπή πετρωμάτων γίνεται αυτόματα, η προώθηση γίνεται με μοτέρρακι ρυθμίζεται με inverter (αργά-γρήγορα).

Τεχνική Περιγραφή- 600S Αυτόματο

ΤΥΠΟΣ	600 S
ΤΑΣΗ.....	380 V
ΙΣΧΥΣ	7.5 HP
Διάμετρος Δίσκου Κοπής	35 έως 60 cm
Μαχ. Βάθος Κοπής.....	21 cm
Ωφελ. μήκος κοπής.....	80-100 cm
Βάρος	280 Kg
Διαστάσεις	125 x 136 x 80 cm

ΚΑΤΑΣΚΕΥΕΣ ΜΗΧΑΝΗΜΑΤΩΝ
 ΜΗΧΑΝΗΜΑΤΑ ΚΟΠΗΣ ΠΕΤΡΩΜΑΤΩΝ

600S Χειροκίνητο




CE

Γενικά Χαρακτηριστικά - 600S Χειρ/το

- Το μηχάνημα 600S είναι μετακινούμενο και μπορεί να μεταφερθεί σε οποιονδήποτε χώρο εργασίας.
- Κόβει κάθετα και φάλτσα σε γωνία 45° - 90°
- Διαθέτει γωνιάστρα για διευκόλυνση και μέγιστη ακρίβεια κοπής. (Κατόπιν παραγγελίας)
- Διαθέτει 2 βοηθητικές μέγκνες για την συγκράτηση των κομματιών κοπής.

Τεχνική Περιγραφή- 600S Χειρ/το

ΤΥΠΟΣ	600 S
ΤΑΣΗ.....	380 V
ΙΣΧΥΣ.....	7,5 HP
Διάμετρος Δίσκου Κοπής	35 έως 60 cm
Μαχ. Βάθος Κοπής.....	21 cm
Ωφελ. μήκος κοπής.....	80-100 cm
Βάρος	250 Kg
Διαστάσεις	125 x 136 x 80 cm



SELINI KAT

7th KM LARISSA - OMORFOCHORI
 LARISSA - 41500 GREECE
 P.O. BOX: 3103
 Tel/Fax: 0030 2410 571 639
 Mob: 0030 6932 536 957
 email: selinikat@gmail.com
www.selinikat.gr

➤ **MACHINERY CONSTRUCTION**
 ➤ **STONE CUTTING MACHINE**

600S Automatic




General Features - 600S Automatic

- The 600s cutter is portable and be moved to any working place.
- Can accomplish vertical cut or in angle from 45° to 90°.
- With crimping part for convenience and maximum precision of the cut.
- With 2 supporting vices for holding cutting pieces.
- The cutting process is automatic, engine moved and regulated with inverter (slow - fast).

Technical Description - 600S Automatic

TYPE.....	600 S
VOLTAGE	380 V
POWER.....	7.5 HP
Cutting disc diameter	35 - 60 cm
Max. cutting depth	21 cm
Effective cutting length.....	80-100 cm
Weight.....	280 Kg
Dimensions	125 x 136 x 80 cm



SELINI KAT

7th KM LARISSA - OMORFOCHORI
 LARISSA - 41500 GREECE
 P.O. BOX: 3103
 Tel/Fax: 0030 2410 571 639
 Mob: 0030 6932 536 957
 email: selinikat@gmail.com
www.selinikat.gr

MACHINERY CONSTRUCTION

STONE CUTTING MACHINE

600S Manual



General Characteristics - 600S Manual

- ▣ The 600s cutter is portable and be moved to any working place.
- ▣ Can accomplish vertical cut or in angle from 45° to 90°
- ▣ With crimping part for convenience and maximum precision of the cut.
- ▣ With 2 supporting vices for holding cutting pieces.

Technical Description - 600S Manual

TYPE.....	600 S
VOLTAGE	380 V
POWER.....	7.5 HP
Cutting disc diameter	35 έως 60 cm
Max. cutting depth	21 cm
Effective cutting length.....	80-100 cm
Weigth.....	250 Kg
Dimensions	125 x 136 x 80 cm